Author Index

ABBAS A.K. *see* McKNIGHT A.J.
ABO T. *see* MATSUMOTO Y.
see also TSUCHIDA M.
ADAMTHWAITE D. & COOLEY M.A. $CD8^+$ T-cell subsets defined by expression of CD45 isoforms differ in their capacity to produce IL-2, IFN-γ and TNF-β, 253
ADCOCK I.M. *see* KWON O.J.
AGIS H. *see* SCHILLER C.
AHLSTEDT S. *see* NILSSON G.
ALEXANDROFF A.B. *see* JACKSON A.M.
ALLEN M.H. *see* ROSS E.L.
ANDERSON G. *see* MOORE N.C.
ANDERSON J.K. *see* CHANG N.-S.
ANDERSSON G. *see* SURCEL H.-M.
ANDREW E.M. *see* SADIGH S.
ANSARI A.A. *see* MOHAPATRA S.S.
ANTONIOU J. *see* SIMPSON E.
ARIËNS T. *see* PIETERS R.H.H.
ASSREUY J. *see* CUNHA F.Q.
AL ATTIYAH R. *see* ROOK G.A.W.
AU B.T. *see* KWON O.J.
AUBÖCK J. *see* RITTER M.
AUBRY J.-P. *see* HENCHOZ S.
see also WERNER-FAVRE C.
AULT B.H. & COLTEN H.R. Cellular specificity of murine renal C3 expression in two models of inflammation, 655

BAHR G. *see* ROOK G.A.W.
BALDWIN C.I. & DENHAM D.A. Isolation and characterization of three subpopulations of IgG in the common cat (*Felis catus*), 155
BANG H., MOLLENHAUER J., SCHULMEISTER A., NAGER C., VAN EDEN W., KAUFMANN S.H.E., WAND-WÜRTTENBERGER A. & BRUNE K. Isolation and characterization of a cartilage-specific membrane antigen (CH65): comparison with cytokeratins and heat-shock proteins, 322
BARANIUK J.N. *see* KWON O.J.
BARKER J.N.W.N. *see* ROSS E.L.
BARNABA V. *see* SCARDINO A.
BARNES P.J. *see* KWON O.J.
BARNES R.M.R. *see* DARROCH C.J.
BASKETTER D.A. *see* DEARMAN R.J.
BECKER W.M. *see* PÈNE J.
BELOBORODOV V.B. *see* PLATONOV A.E.
BENDTZEN K. *see* NICOLETTI F.
BEREITER-HAHN J. *see* BLAHETA R.A.
VAN DEN BERG C.W., WILLIAMS O.M. & MORGAN B.P. Presence of a dysfunctional form of CD59 on a $CD59^+$ subclone of the U937 cell line, 637
VAN DEN BERG W.B. *see* VAN DE LANGERIJT A.G.M.
BESSLER W.G. *see* EDINGER M.
BHATTI L. & SIDELL N. Transcriptional regulation by retinoic acid of interleukin-2α receptors in human B cells, 273
BHOGAL B.S. *see* MASUDA A.
BILLINGHAM M.E.J. *see* VAN DE LANGERIJT A.G.M.
BIRLEY H.D.L. *see* TARPEY I.
BLAHETA R.A., SCHOLZ M., HAILER N.P., BEREITER-HAHN J., ENCKE A. & MARKUS B.H. Adhesion and penetration properties of human lymphocytes acting on allogeneic vascular endothelial cells, 538
BLOKSMA N. *see* PIETERS R.H.H.
BÖCK G. *see* RITTER M.
DE BOER O.J., HORST E., PALS S.T., BOS J.D. & DAS P.K. Functional evidence that the HECA-452 antigen is involved in the adhesion of human neutrophils and lymphocytes to tumour necrosis factor-α-stimulated endothelial cells, 359
BOL M. *see* PIETERS R.H.H.
BOLTZ-NITULESCU G. *see* SCHILLER C.
BONNEFOY J.-Y. *see* HENCHOZ S.
see also WERNER-FAVRE C.
BOOM W.H. *see* MAWHORTER S.D.
BORREBAECK C.A.K. *see* CHIN L.-T.
BOS J.D. *see* DE BOER O.J.
BOUSQUET J. *see* PÈNE J.
BOWEN J.C., NAIR S.K., REDDY R. & ROUSE B.T. Cholera toxin acts as a potent adjuvant for the induction of cytotoxic T-lymphocyte responses with non-replicating antigens, 338
BRÄNDLE D. *see* SIMPSON E.
BRICIO T., MOLINA A., MARTIN A. & MAMPASO F. *In vitro* modulation of interleukin-1β secretion by cultured rat doxorubicin-stimulated whole glomeruli and dissociated mesangial glomerular cells, 53
BRUNE K. *see* BANG H.
BURTON G.F. *see* MASUDA A.
BUTLER T.J. *see* CUNNINGHAM A.C.
BUXTON D. *see* McCAFFERTY M.C.

CANNON C.A. *see* FLYNN J.N.
CARLSSON M. *see* NILSSON G.
CARR M.M., HOWARD C.J., SOPP P., MANSER J.M. & PARSONS K.R. Expression on porcine $\gamma\delta$ lymphocytes of a phylogenetically conserved surface antigen previously restricted in expression to ruminant $\gamma\delta$ T lymphocytes, 36
CARRIER M. *see* CUNHA F.Q.
CASORATI G. *see* ZOCCHI M.R.
CASTRO G.A. *see* GOULD S.S.
CHAIN B.M. *see* IBRAHIM M.A.A.
CHANDLER P. *see* SIMPSON E.
CHANG N.-S., LEU R.W., ANDERSON J.K. & MOLE J.E. Role of N-terminal domain of histidine-rich glycoprotein in modulation of macrophage Fcγ receptor-mediated phagocytosis, 296
CHAPMAN A.J., FARRELL H.E., THOMAS J.A., PAPADIMITRIOU J.M., GARLEPP M.J., SCALZO A.A. & SHELLAM G.R. A murine cytomegalovirus neutralizing-antibody exhibits autoreactivity and induces tissue damage *in vivo*, 435
CHENG L. *see* SCHLESINGER B.C.
CHIN L.-T., HINKULA J., LEVI M., OHLIN M., WAHREN B. & BORREBAECK C.A.K. Site-directed primary *in vitro* immunization: production of the HIV-1 neutralizing human monoclonal antibodies from lymphocytes obtained from seronegative donors, 428
CHISHOLM G.D. *see* JACKSON A.M.
CHRISTMAS S.E. *see* DARROCH C.J.
CHU A.C. *see* ROSS E.L.
CHUNG K.F. *see* KWON O.J.
COLLINS P.D. *see* KWON O.J.
COLTEN H.R. *see* AULT B.H.
COOLEY M.A. *see* ADAMTHWAITE D.
CORRAH T. *see* ROOK G.A.W.
CRAIG P.J. *see* VAN DE LANGERIJT A.G.M.
CUMBERBATCH M., FIELDING I. & KIMBER I. Modulation of epidermal Langerhans' cell frequency by tumour necrosis factor-α, 395
CUNHA F.Q., ASSREUY J., MOSS D.W., REES D., LEAL L.M.C., MONCADA S., CARRIER M., O'DONNELL C.A. & LIEW F.Y.

Differential induction of nitric oxide synthase in various organs of the mouse during endotoxaemia: role of TNF-α and IL-1β, 211
CUNNINGHAM A.C., BUTLER T.J. & KIRBY J.A. Demonstration of direct xenorecognition of porcine cells by human cytotoxic T lymphocytes, 268
CZOP J.K. *see* KAY J.

D'ADAMIO F. *see* MIGLIORATI G.
DARROCH C.J., CHRISTMAS S.E. & BARNES R.M.R. *In vitro* human lymphocyte proliferative responses to a glycoprotein of the yeast *Saccharomyces cerevisiae*, 247
DAS P.K. *see* DE BOER O.J.
DAVIES D.H. *see* TARPEY I.
DEARMAN R.J., RAMDIN L.S.P., BASKETTER D.A. & KIMBER I. Inducible interleukin-4-secreting cells provoked in mice during chemical sensitization, 551
DEHLAWI M.S. *see* WAKELIN D.
DENHAM D.A. *see* BALDWIN C.I.
DESANCTIS J.B., VARESIO L. & RADZIOCH D. Prostaglandins inhibit lipoprotein lipase gene expression in macrophages, 605
DICK T. *see* STAEGE M.S.
DOHERTY K. *see* POPE M.
DONACHIE A.M. *see* MALOY K.J.
DREXHAGE H.A. *see* MOOIJ P.J.

ECKMANN L. *see* SCHUERER-MALY C.-C.
VAN EDEN W. *see* BANG H.
EDINGER M., BESSLER W.G. & KLEINE B. Synergistic stimulation of human B lymphocytes by anti-CD40 monoclonal antibodies and synthetic lipopeptide analogues from *Escherichia coli* lipoprotein, 205
EDWARDS S.W. *see* MARTIN J.H.J.
EHER R. *see* GADD S.J.
EIBL B. *see* RITTER M.
EMOTO M. *see* MATSUMOTO Y.
ENCKE A. *see* BLAHETA R.A.
ENTRICAN G. *see* McCAFFERTY M.C.
ERTL R. *see* STAEGE M.S.
ESUVARANATHAN K. *see* JACKSON A.M.
ETO M., YOSHIKAI Y., NISHIMURA Y., HIROMATSU K., MAEDA T., NOMOTO K., KONG Y.-Y., KUBO R.T., KUMAZAWA J. & NOMOTO K. Inhibition of allograft rejection by anti-T-cell receptor-αβ monoclonal antibodies preserving resistance to bacterial infection, 198

FAIRCHILD P.J., THORPE C.J., TRAVERS P.J. & WRAITH D.C. Modulation of the immune response with T-cell epitopes: the ultimate goal for specific immunotherapy of autoimmune disease, 487
FALCO M.T. *see* SCHUERER-MALY C.-C.
FARRELL H.E. *see* CHAPMAN A.J.
FERRARINI M. *see* ZOCCHI M.R.
FIELDING I. *see* CUMBERBATCH M.
FLYNN J.N., CANNON C.A., LAWRENCE C.E. & JARRETT O. Polyclonal B-cell activation in cats infected with feline immunodeficiency virus, 626
FUCHS B.A. *see* MASUDA A.
FUJIMOTO M. *see* KIMATA H.
FUJITA K. *see* YAMAOKA K.A.
FUNABASHI K., OKADA N., MATSUO S., YAMAMOTO T., MORGAN B.P. & OKADA H. Tissue distribution of complement regulatory membrane proteins in rats, 444
FUNG M.C. *see* LEUNG K.N.
VAN FURTH R. *see* LANGERMANS J.A.M.

GÄCHTER A. *see* RITTER M.
GADD S.J., EHER R., MAJDIC O. & KNAPP W. Signal transduction via FcγR and Mac-1 α-chain in monocytes and polymorphonuclear leucocytes, 611
GARLEPP M.J. *see* CHAPMAN A.J.
GARNETT D. & WILLIAMS A.F. Homotypic adhesion of rat B cells, but not T cells in response to cross-linking of CD48, 103
GARVY B.A. & RILEY R.L. IFN-γ abrogates IL-7-dependent proliferation in pre-B cells, coinciding with onset of apoptosis, 381
GAUCHAT J.-F. *see* HENCHOZ S.
see also WERNER-FAVRE C.
VAN DE GEVEL J.S. *see* LANGERMANS J.A.M.
GONG J.L., McCARTHY K.M., ROGERS R.A. & SCHNEEBERGER E.E. Interstitial lung macrophages interact with dendritic cells to present antigenic peptides derived from particulate antigens to T cells, 343
GONNELLA P.A., STARR S., RODRICK M.L. & WILMORE D.W. Induced hyporesponsiveness in rat Kupffer cells is not specific for lipopolysaccaride, 402
GORCZYNSKI R.M. Adoptive transfer of unresponsiveness to allogeneic skin grafts with hepatic γδ T cells, 27
GOULD S.S. & CASTRO G.A. Suppression by *Trypanosoma brucei* of anaphylaxis-mediated ion transport in the small intestine of rats, 468
GOYAL P.K. *see* WAKELIN D.
GRABER P. *see* HENCHOZ S.
GRAHAM C.M. *see* SMITH C.A.
GRASSO S. *see* NICOLETTI F.
GROSSE-WILDE H. *see* RITTER M.
GROVES R.W. *see* ROSS E.L.

HAECKER G. & WAGNER H. Proliferative and cytolytic responses of human γδ T cells display a distinct specificity pattern, 564
HAILER N.P. *see* BLAHETA R.A.
HANAWA H. *see* MATSUMOTO Y.
see also TSUCHIDA M.
HAPEL A.J. *see* LEUNG K.N.
HENCHOZ S., GAUCHAT J.-F., AUBRY J.-P., GRABER P., PONCHON S. & BONNEFOY J.-Y. Stimulation of human IgE production by a subset of anti-CD21 monoclonal antibodies: requirement of a co-signal to modulate transcripts, 285
HERMANEK J. *see* WAKELIN D.
HERNANDEZ H. *see* ROOK G.A.W.
HEROLD M. *see* RITTER M.
HICKLING J. *see* TARPEY I.
HICKS C.A. *see* VAN DE LANGERIJT A.G.M.
HINKULA J. *see* CHIN L.-T.
HIRAHARA H. *see* TSUCHIDA M.
HIROMATSU K. *see* ETO M.
HIRT W. *see* SAALMÜLLER A.
HOLMDAHL R. *see* SKARSTEIN K.
HOLMES C.H. *see* SIMPSON K.L.
HOLMSKOV U. *see* LAURSEN S.B.
HORII Y. *see* ISHIKAWA N.
HORST E. *see* DE BOER O.J.
HOSIE M.J. *see* WILLETT B.J.
HOWARD C.J. *see* CARR M.M.
HUBER C. *see* RITTER M.
VAN DER HULST M.E.B. *see* LANGERMANS J.A.M.

IBRAHIM M.A.A., CHAIN B.M. & KATZ D.R. The role of non-adhesive T-cell–accessory cell interactions in the induction of T-cell proliferative hyporesponsiveness, 521
INUO G. *see* YAMAOKA K.A.
ISHIKAWA N., HORII Y., OINUMA T., SUGANUMA T. & NAWA Y. Goblet cell mucins as the selective barrier for the intestinal helminths: T-cell-independent alteration of goblet cell mucins by immunologically 'damaged' *Nippostrongylus brasiliensis* worms and its significance on the challenge infection with homologous and heterologous parasites, 480
IVANYI J. *see* KOBAYASHI N.
see also SURCEL H.-M.

JACKSON A.M., ALEXANDROFF A.B., LAPPIN M.B., ESUVARANATHAN K., JAMES K. & CHISHOLM G.D. Control of leucocyte function-associated antigen-1-dependent cellular conjugation by divalent cations, 120
JAHNEL U. *see* STAEGE M.S.
JAMES K. *see* JACKSON A.M.
JARRETT O. *see* FLYNN J.N.
see also WILLETT B.J.
JENKINSON E.J. *see* MOORE N.C.
JENSENIUS J.C. *see* LAURSEN S.B.
JOHANNESSEN A.C. *see* SKARSTEIN K.

JOLLER P.W. *see* KELLER R.
JONES A.M. *see* PLATONOV A.E.
JONES I. *see* NILSSON G.
JONSSON R. *see* SKARSTEIN K.

KAGNOFF M.F. *see* SCHUERER-MALY C.-C.
KAI C. *see* PECORARO M.R.
KATZ D.R. *see* IBRAHIM M.A.A.
KAUFMANN S.H.E. *see* BANG H.
KAWAGUCHI Y. *see* PECORARO M.R.
KAY J. & CZOP J.K. Enhancement of human monocyte β-glucan receptors by glucocorticoids, 96
KAZURA J.W. *see* MAWHORTER S.D.
KEIST R. *see* KELLER R.
KELLER R., KEIST R. & JOLLER P.W. Macrophage response to bacteria and bacterial products: modulation of Fcγ receptors and secretory and cellular activities, 161
KIERSZENBAUM F., MEJIA LOPEZ J. & SZTEIN M.B. Inhibition of *Trypanosoma cruzi*-specific immune responses by a protein produced by *T. cruzi* in the course of Chagas' disease, 462
KIMATA H., FUJIMOTO M. & MIKAWA H. Nedocromil sodium acts directly on human B cells to inhibit immunoglobulin production without affecting cell growth, 47
KIMBER I. *see* CUMBERBATCH M.
see also DEARMAN R.J., MOODYCLIFFE A.M.
KIRBY J.A. *see* CUNNINGHAM A.C.
KLEINE B. *see* EDINGER M.
KNAPP W. *see* GADD S.J.
KOBAYASHI N., MATSUZAKI G., YOSHIKAI Y., SEKI R., IVANYI J. & NOMOTO K. V$\delta5^+$ T cells of BALB/c mice recognize the murine heat shock protein 60 target cell specificity, 240
KOLB H. *see* ROTHE H.
KOLB J.-P. *see* YAMAOKA K.A.
KÖLLER M. *see* SCHILLER C.
KONG Y.-Y. *see* ETO M.
KOTLARSKI I. *see* POPE M.
KRAMNIK I., RADZIOCH D. & SKAMENE E. T-helper 1-like subset selection in *Mycobacterium bovis* bacillus Calmette–Guérin-infected resistant and susceptible mice, 618
KUBO R.T. *see* ETO M.
KUMAZAWA J. *see* ETO M.
KURIMOTO I. & STREILEIN J.W. Characterization of the immunogenetic basis of ultraviolet-B light effects on contact hypersensitivity induction, 352
KWON O.J., AU B.T., COLLINS P.D., BARANIUK J.N., ADCOCK I.M., CHUNG K.F. & BARNES P.J. Inhibition of interleukin-8 expression by dexamethasone in human cultured airway epithelial cells, 389

LACHMANN P.J. *see* PLATONOV A.E.
see also ZHANG W.
LAGIER B. *see* PÈNE J.
VAN DE LANGERIJT A.G.M., VOLSEN S.G., HICKS C.A., CRAIG P.J., BILLINGHAM M.E.J. & VAN DEN BERG W.B. Cell migration studies in the adoptive transfer of adjuvant arthritis in the Lewis rat, 414
LANGERMANS J.A.M., MAYANSKI D.M., NIBBERING P.H., VAN DER HULST M.E.B., VAN DE GEVEL J.S. & VAN FURTH R. Effect of IFN-γ and endogenous TNF on the histopathological changes in the liver of *Listeria monocytogenes*-infected mice, 192
LAPPIN M.B. *see* JACKSON A.M.
LAURSEN S.B., THIEL S., TEISNER B., HOLMSKOV U., WANG Y., SIM R.B. & JENSENIUS J.C. Bovine conglutinin binds to an oligosaccharide determinant presented by iC3b, but not by C3, C3b or C3c, 648
LAWRENCE C.E. *see* FLYNN J.N.
LEAL L.M.C. *see* CUNHA F.Q.
LEMBO D. *see* NICOLETTI F.
LEU R.W. *see* CHANG N.-S.
LEUNG K.N., MAK N.K., FUNG M.C. & HAPEL A.J. Synergistic effect of IL-4 and TNF-α in the induction of monocytic differentiation of a mouse myeloid leukaemic cell line (WEHI-3B JCS), 65
LEVI M. *see* CHIN L.-T.
LIEW F.Y. *see* CUNHA F.Q.
LY H.M. *see* ROOK G.A.W.

McCAFFERTY M.C., MALEY S.W., ENTRICAN G. & BUXTON D. The importance of interferon-γ in an early infection of *Chlamydia psittaci* in mice, 631
McCARTHY K.M. *see* GONG J.L.
MacDONALD D.M. *see* ROSS E.L.
McINDOE A. *see* TARPEY I.
McKNIGHT A.J., SHEA C.M., WIENS G.R., RIMM I.J. & ABBAS A.K. Differentiation of V$\beta8.2^+$ CD4$^+$ T cells induced by a superantigen: roles of antigen-presenting cells and cytokines, 513
MAEDA K. *see* MATSUMOTO Y.
see also PECORARO M.R.
MAEDA T. *see* ETO M.
MAGEED R.A. *see* SADIGH S.
MAGGI E. *see* MOHAPATRA S.S.
MAINI R.N. *see* SADIGH S.
MAJDIC O. *see* GADD S.J.
MAK N.K. *see* LEUNG K.N.
MALCOLM A. *see* SADIGH S.
MALE D., RAHMAN J., PRYCE G., TAMATANI T. & MIYASAKA M. Lymphocyte migration into the CNS modelled *in vitro*: roles of LFA-1, ICAM-1 and VLA-4, 366
MALEY S.W. *see* McCAFFERTY M.C.
MALOY K.J., DONACHIE A.M., O'HAGAN D.T. & MOWAT A.McI. Induction of mucosal and systemic immune responses by immunization with ovalbumin entrapped in poly(lactide-co-glycolide) microparticles, 661
MALY F.-E. *see* SCHUERER-MALY C.-C.
MALYGIN A.M., SOMERSALO K. & TIMONEN T. Promotion of natural killer cell growth *in vitro* by bispecific (anti-CD3 × anti-CD16) antibodies, 92
MAMPASO F. *see* BRICIO T.
MANSER J.M. *see* CARR M.M.
DI MARCO R. *see* NICOLETTI F.
MARKUS B.H. *see* BLAHETA R.A.
MARTIN A. *see* BRICIO T.
MARTIN J.H.J. & EDWARDS S.W. Interferon-γ enhances monocyte cytotoxicity via enhanced reactive oxygen intermediate production. Absence of an effect on macrophage cytotoxicity is due to failure to enhance reactive nitrogen intermediate production, 592
MARTIN S. *see* ROTHE H.
MASUDA A., BURTON G.F., FUCHS B.A., BHOGAL B.S., RUPPER R., SZAKAL A.K. & TEW J.G. Follicular dendritic cell function and murine AIDS, 41
MATSSON P. *see* NILSSON G.
MATSUMOTO Y., EMOTO M., USAMI J., MAEDA K. & YOSHIKAI Y. A protective role of extrathymic $\alpha\beta$ TcR cells in the liver in primary murine salmonellosis, 8
MATSUMOTO Y., TSUCHIDA M., HANAWA H. & ABO T. Successful prevention and treatment of autoimmmune encephalomyelitis by short-term administration of anti-T-cell receptor $\alpha\beta$ antibody, 1
see also TSUCHIDA M.
MATSUO S. *see* FUNABASHI K.
MATSUZAKI G. *see* KOBAYASHI N.
MATTHEWS N. *see* THORP K.M.
MAURER S. *see* SAALMÜLLER A.
MAWHORTER S.D., KAZURA J.W. & BOOM W.H. Human eosinophils as antigen-presenting cells: relative efficiency for superantigen- and antigen-induced CD4$^+$ T-cell proliferation, 584
MAYANSKI D.M. *see* LANGERMANS J.A.M.
MAZZEI G. *see* WERNER-FAVRE C.
MEJIA LOPEZ J. *see* KIERSZENBAUM F.
MELLOR A. *see* SIMPSON E.
MERONI P.L. *see* NICOLETTI F.
MICHEL F.-B. *see* PÈNE J.
MICHEL M.-L. *see* SCARDINO A.
MIGLIORATI G., NICOLETTI I., D'ADAMIO F., SPRECA A., PAGLIACCI C. & RICCARDI C. Dexamethasone induces apoptosis in mouse natural killer cells and cytotoxic T lymphocytes, 21
MIGONE N. *see* ZOCCHI M.R.
MIKAMI T. *see* PECORARO M.R.

MIKAWA H. *see* KIMATA H.
MILLRAIN M.M. *see* SIMPSON E.
MIYASAKA M. *see* MALE D.
MIYASAKA N. *see* YAMAOKA K.A.
MIYAZAWA T. *see* PECORARO M.R.
MOHAPATRA S. *see* MOHAPATRA S.S.
MOHAPATRA S.S., MOHAPATRA S., YANG M., ANSARI A.A., PARRONCHI P., MAGGI E. & ROMAGNANI S. Molecular basis of cross-reactivity among allergen-specific human T cells: T-cell receptor Vα gene usage and epitope structure, 15
MOLE J.E. *see* CHANG N.-S.
MOLINA A. *see* BRICIO T.
MOLLENHAUER J. *see* BANG H.
MONCADA S. *see* CUNHA F.Q.
MOODYCLIFFE A.M., KIMBER I. & NORVAL M. Role of tumour necrosis factor-α in ultraviolet B light-induced dendritic cell migration and suppression of contact hypersensitivty, 79
MOOIJ P.J., DE WIT H.J. & DREXHAGE H.A. A high iodine intake in Wistar rats results in the development of a thyroid-associated ectopic thymic tissue and is accompanied by a low thyroid autoimmune reactivity, 309
MOORE N.C., ANDERSON G., WILLIAMS G.T., OWEN J.J.T. & JENKINSON E.J. Developmental regulation of bcl-2 expression in the thymus, 115
MORENO C. *see* SURCEL H.-M.
MORGAN B.P. *see* FUNABASHI K.
see also TANDON N., VAN DEN BERG C.W.
MORRONE S. *see* NICOLETTI F.
MOSS D.W. *see* CUNHA F.Q.
MOWAT A.McI. *see* MALOY K.J.

NACHBAUR D. *see* RITTER M.
NAGER C. *see* BANG H.
NAIR S.K. *see* BOWEN J.C.
NAWA Y. *see* ISHIKAWA N.
NAWRATH H. *see* STAEGE M.S.
NEIL J.C. *see* WILLETT B.J.
NIBBERING P.H. *see* LANGERMANS J.A.M.
NICOLETTI F., DI MARCO R., MORRONE S., ZACCONE P., LEMBO D., GRASSO S., SANTONI A., MERONI P.L. & BENDTZEN K. Reduction of spontaneous autoimmune diabetes-prone BB rats with the novel immunosuppressant fusidic acid. Effect on T-cell proliferation and production of interferon-γ, 317
NICOLETTI I. *see* MIGLIORATI G.
NIEDERWIESER D. *see* RITTER M.
NILSSON G., CARLSSON M., JONES I., AHLSTEDT S., MATSSON P. & NILSSON K. TNF-α and IL-6 induce differentiation in the human basophilic leukaemia cell line KU812, 73
NILSSON K. *see* NILSSON G.
NISHIMURA Y. *see* ETO M.
NOMOTO K. *see* ETO M.
see also KOBAYASHI N.
NORIMINE J. *see* PECORARO M.R.
NORVAL M. *see* MOODYCLIFFE A.M.
NUSSBAUMER W. *see* RITTER M.

O'DONNELL C.A. *see* CUNHA F.Q.
O'HAGAN D.T. *see* MALOY K.J.
OHLIN M. *see* CHIN L.-T.
OINUMA T. *see* ISHIKAWA N.
OKADA H. *see* FUNABASHI K.
OKADA N. *see* FUNABASHI K.
ÖNGÖREN C. *see* ROTHE H.
ONYEBUJOH P. *see* ROOK G.A.W.
ORREN A. *see* PLATONOV A.E.
OWEN J.J.T. *see* MOORE N.C.
OWENS T. *see* POUDRIER J.

PAGLIACCI C. *see* MIGLIORATI G.
PALS S.T. *see* DE BOER O.J.
PAPADIMITRIOU J.M. *see* CHAPMAN A.J.
PAROLI M. *see* SCARDINO A.
PARRONCHI P. *see* MOHAPATRA S.S.
PARSONS K.R. *see* CARR M.M.
PASVOL G. *see* SURCEL H.-M.
PAULIE S. *see* SURCEL H.-M.
PECORARO M.R., KAWAGUCHI Y., MIYAZAWA T., NORIMINE J., MAEDA K., TOYOSAKI T., TOHYA Y., KAI C. & MIKAMI T. Isolation, sequence and expression of a cDNA encoding the α-chain of the feline CD8, 127
PÈNE J., RIVIER A., LAGIER B., BECKER W.M., MICHEL F.-B. & BOUSQUET J. Differences in IL-4 release by PBMC are related with heterogeneity of atopy, 58
PENNINKS A.H. *see* PIETERS R.H.H.
PETERLIK M. *see* SCHILLER C.
DE PETRILLO G. *see* SCARDINO A.
PHILLIPS R.S. *see* TAYLOR-ROBINSON A.W
PIETERS R.H.H., BOL M., ARIËNS T., PUNT P., SEINEN W., BLOKSMA N. & PENNINKS A.H. Selective inhibition of immature $CD4^-$ $CD8^+$ thymocyte proliferation, but not differentiation, by the thymus atrophy-inducing compound di-n-butyltin dichloride, 261
PIRCHER H.-P. *see* SIMPSON E.
PLATONOV A.E., WÜRZNER R., BELOBORODOV V.B., JONES A.M., TROSHANSKY D.V., VERSHININA I.V., LACHMANN P.J. & ORREN A. Paradoxical reconstitution of complement activity following plasma transfusion of an individual with deficiency of the seventh component, 142
POHL-MARKL H. *see* RITTER M.
PONCHON S. *see* HENCHOZ S.
POPE M. & KOTLARSKI I. Detection of *Salmonella*-specific $L3T4^+$ T cells which can proliferate *in vitro* and mediate delayed-type hypersensitivity reactivity, 183
POPE M., KOTLARSKI I. & DOHERTY K. Induction of $Lyt\text{-}2^+$ cytotoxic T lymphocytes following primary and secondary *Salmonella* infection, 177
POUDRIER J. & OWENS T. The acquisition of cytokine responsiveness by murine B cells: a role for antigen and IL-5 in the induction of IL-2 receptors, 373
PRYCE G. *see* MALE D.
PUNT P. *see* PIETERS R.H.H.

RADZIOCH D. *see* DESANCTIS J.B.
see also KRAMNIK I.
RAHMAN J. *see* MALE D.
RAMDIN L.S.P. *see* DEARMAN R.J.
RAMMENSEE H.-G. *see* STAEGE M.S.
REDDY R. *see* BOWEN J.C.
REES D. *see* CUNHA F.Q.
REISER H. & SCHNEEBERGER E.E. The costimulatory molecule B7 is expressed in the medullary region of the murine thymus, 532
RENTON A. *see* TARPEY I.
RESKE-KUNZ A.B. *see* STAEGE M.S.
RICCARDI C. *see* MIGLIORATI G.
RILEY R.L. *see* GARVY B.A.
RIMM I.J. *see* McKNIGHT A.J.
RITTER M., HUBER C., AUBÖCK J., POHL-MARKL H., TROPPMAIR J., HEROLD M., GÄCHTER A., NUSSBAUMER W., BÖCK G., NACHBAUR D., WESTHOFF U., EIBL B., SCHWAIGHOFER H., THALER J., GROSSE-WILDE H. & NIEDERWIESER D. Lytic susceptibility of target cells to cytotoxic T cells is determined by their constitutive major histocompatibility complex class I antigen expression and cytoline-induced activation status, 569
RIVIER A. *see* PÈNE J.
ROBINSON P.J. *see* SIMPSON E.
RODRICK M.L. *see* GONNELLA P.A.
ROGERS R.A. *see* GONG J.L.
ROMAGNANI S. *see* MOHAPATRA S.S.
ROOK G.A.W., ONYEBUJOH P., WILKINS E., LY H.M., AL ATTIYAH R., BAHR G., CORRAH T., HERNANDEZ H. & STANFORD J.L. A longitudinal study of per cent agalactosyl IgG in tuberculosis patients receiving chemotherapy, with or without immunotherapy, 149
RÖSEN P. *see* ROTHE H.
ROSS E.L., BARKER J.N.W.N., ALLEN M.H., CHU A.C., GROVES R.W. & MacDONALD D.M. Langerhans' cell expression of the selectin ligand, sialyl Lewis x, 303

ROTHE H., ÖNGÖREN C., MARTIN S., RÖSEN P. & KOLB H. Abnormal TNF-α production in diabetes-prone BB rats: enhanced TNF-α expression and defective PGE_2 feedback inhibition, 407
ROUSE B.T. *see* BOWEN J.C.
RUPPER R. *see* MASUDA A.

SAALMÜLLER A., HIRT W., MAURER S. & WEILAND E. Discrimination between two subsets of porcine $CD8^+$ cytolytic T lymphocytes by the expression of CD5 antigen, 578
SADIGH S., SCOTT B.B., MAGEED R.A., MALCOLM A., ANDREW E.M. & MAINI R.N. Identification of hybridomas derived from mouse $CD5^+$ B lymphocytes by fluorescent staining for cytoplasmic CD5 expression, 558
SANTONI A. *see* NICOLETTI F.
SARAVOLAC E.G. *see* WONG J.P.
SCALZO A.A. *see* CHAPMAN A.J.
SCARDINO A., PAROLI M., MICHEL M.-L., BARNABA V. & DE PETRILLO G. Antigen targeting to antigen-presenting cells enhances presentation to class II-restricted T lymphocytes, 167
SCHILLER C., SPITTLER A., WILLHEIM M., SZÉPFALUSI Z., AGIS H., KÖLLER M., PETERLIK M. & BOLTZ-NITULESCU G. Influence of suramin on the expression of Fc receptors and other markers on human monocytes and U937 cells, and on their phagocytic properties, 598
SCHLESINGER B.C. & CHENG L. Characterization of a novel monoclonal antibody against human perforin using transfected cell lines, 291
SCHNEEBERGER E.E. *see* GONG J.L.
see also REISER H.
SCHOLZ M. *see* BLAHETA R.A.
SCHUERER-MALY C.-C., ECKMANN L., KAGNOFF M.F., FALCO M.T. & MALY F.-E. Colonic epithelial cell lines as a source of interleukin-8: stimulation by inflammatory cytokines and bacterial lipopolysaccharide, 85
SCHULMEISTER A. *see* BANG H.
SCHWAIGHOFER H. *see* RITTER M.
SCOTT B.B. *see* SADIGH S.
SEINEN W. *see* PIETERS R.H.H.
SEKI R. *see* KOBAYASHI N.
SEKIKAWA H. *see* TSUCHIDA M.
SHEA C.M. *see* McKNIGHT A.J.
SHELLAM G.R. *see* CHAPMAN A.J.
SIDELL N. *see* BHATTI L.
SIM R.B. *see* LAURSEN S.B.
SIMPSON E., ROBINSON P.J., CHANDLER P., MILLRAIN M.M., PIRCHER H.-P., BRÄNDLE D., TOMLINSON P., ANTONIOU J. & MELLOR A. Separation of thymic education from antigen presenting functions of major histocompatibility complex class I molecules, 132
SIMPSON K.L. & HOLMES C.H. Differential expression of complement regulatory proteins decay-accelerating factor (CD55), membrane cofactor protein (CD46) and CD59 during human spermatogenesis, 452
SKAMENE E. *see* KRAMNIK I.
SKARSTEIN K., HOLMDAHL R., JOHANNESSEN A.C. & JONSSON R. Oligoclonality of T cells in salivary glands of autoimmune MRL/*lpr* mice, 497
SMITH C.A., GRAHAM C.M. & THOMAS D.B. Productive rearrangement at both alleles of the T-cell receptor β-chain locus in CD4 T-cell clones specific for influenza haemagglutinin, 502
SOMERSALO K. *see* MALYGIN A.M.
SOPP P. *see* CARR M.M.
SOUTHERN C. *see* THORP K.M.
SPITTLER A. *see* SCHILLER C.
SPRECA A. *see* MIGLIORATI G.
STACEY S. *see* TARPEY I.
STADNYK L.L. *see* WONG J.P.
STAEGE M.S., DICK T., ERTL R., JAHNEL U., NAWRATH H., RAMMENSEE H.-G. & RESKE-KUNZ A.B. The antigen self-presentation function of the cytotoxic T-cell clone 10BK.1 depends on reciprocal peptide presentation, 333
STANFORD J.L. *see* ROOK G.A.W.
STARR S. *see* GONNELLA P.A.
STREILEIN J.W. *see* KURIMOTO I.
SUGANUMA T. *see* ISHIKAWA N.
SURCEL H.-M., TROYE-BLOMBERG M., PAULIE S., ANDERSSON G., MORENO C., PASVOL G. & IVANYI J. Th1 Th2 profiles in tuberculosis, based on the proliferation and cytokine response of blood lymphocytes to mycobacterial antigens, 171
SZAKAL A.K. *see* MASUDA A.
SZÉPFALUSI Z. *see* SCHILLER C.
SZTEIN M.B. *see* KIERSZENBAUM F.

TAMATANI T. *see* MALE D.
TANDON N., YAN S.L., MORGAN B.P. & WEETMAN A.P. Expression and function of multiple regulators of complement activation in autoimmune thyroid disease, 643
TARPEY I., STACEY S., HICKLING J., BIRLEY H.D.L., RENTON A., McINDOE A. & DAVIES D.H. Human cytotoxic T lymphocytes stimulated by endogenously processed human papillomavirus type 11 E7 recognize a peptide containing a HLA-A2 (A*0201) motif, 222
TAYLOR-ROBINSON A.W & PHILLIPS R.S. Expression of the IL-1 receptor discriminates Th2 from Th1 cloned $CD4^+$ T cells specific for *Plasmodium chabaudi*, 216
TEISNER B. *see* LAURSEN S.B.
TEW J.G. *see* MASUDA A.
THALER J. *see* RITTER M.
THIEL S. *see* LAURSEN S.B.
THOMAS D.B. *see* SMITH C.A.
THOMAS J.A. *see* CHAPMAN A.J.
THORP K.M., SOUTHERN C. & MATTHEWS N. Effect of serine/threonine kinase inhibitors on motility of human lymphocytes and U937 cells, 546
THORPE C.J. *see* FAIRCHILD P.J.
TIMONEN T. *see* MALYGIN A.M.
TOHYA Y. *see* PECORARO M.R.
TOMLINSON P. *see* SIMPSON E.
TOYOSAKI T. *see* PECORARO M.R.
TRAVERS P.J. *see* FAIRCHILD P.J.
TROPPMAIR J. *see* RITTER M.
TROSHANSKY D.V. *see* PLATONOV A.E.
TROYE-BLOMBERG M. *see* SURCEL H.-M.
TSUCHIDA M., HANAWA H., HIRAHARA H., WATANABE H., MATSUMOTO Y., SEKIKAWA H. & ABO T. Identification of $CD4^-$ $CD8^-$ αβ T cells in the subarachnoid space of rats with experimental autoimmune encephalomyelitis. A possible route by which effector cells invade the lesions, 420
see also MATSUMOTO Y.

USAMI J. *see* MATSUMOTO Y.

VARESIO L. *see* DESANCTIS J.B.
VERSHININA I.V. *see* PLATONOV A.E.
VOLSEN S.G. *see* VAN DE LANGERIJT A.G.M.

WAGNER H. *see* HAECKER G.
WAHREN B. *see* CHIN L.-T.
WAKELIN D., GOYAL P.K., DEHLAWI M.S. & HERMANEK J. Immune responses to *Trichinella spiralis* and *T. pseudospiralis* in mice, 475
WAND-WÜRTTENBERGER A. *see* BANG H.
WANG Y. *see* LAURSEN S.B.
WATANABE H. *see* TSUCHIDA M.
WEETMAN A.P. *see* TANDON N.
WEILAND E. *see* SAALMÜLLER A.
WERNER-FAVRE C., GAUCHAT J.-F., MAZZEI G., AUBRY J.-P., BONNEFOY J.-Y. & ZUBLER R.H. Similar CD40 ligand expression on EL-4 thymoma cell lines with widely different helper activity for B lymphocytes, 111
WESTHOFF U. *see* RITTER M.
WIENS G.R. *see* McKNIGHT A.J.
WILKINS E. *see* ROOK G.A.W.
WILLETT B.J., HOSIE M.J., JARRETT O. & NEIL J.C. Indentification of a putative cellular receptor for feline immunodeficiency virus as the feline homologue of CD9, 228
WILLHEIM M. *see* SCHILLER C.
WILLIAMS A.F. *see* GARNETT D.

WILLIAMS G.T. *see* MOORE N.C.
WILLIAMS O.M. *see* VAN DEN BERG C.W.
WILMORE D.W. *see* GONNELLA P.A.
DE WIT H.J. *see* MOOIJ P.J.
WONG J.P., STADNYK L.L. & SARAVOLAC E.G. Enhanced protection against respiratory influenza A infection in mice by liposome-encapsulated antibody, 280
WRAITH D.C. *see* FAIRCHILD P.J.
WÜRZNER R. *see* PLATONOV A.E.

YAMAMOTO T. *see* FUNABASHI K.
YAMAOKA K.A., KOLB J.-P., MIYASAKA N., INUO G. & FUJITA K. Purified excretory–secretory component of filarial parasite enhances FcεRII/CD23 expression on human splenic B and T cells and IgE synthesis while potentiating T-helper type 2-related cytokine generation from T cells, 507
YAN S.L. *see* TANDON N.
YANG M. *see* MOHAPATRA S.S.
YOSHIKAI Y. *see* ETO M.
see also KOBAYASHI N., MATSUMOTO Y.

ZACCONE P. *see* NICOLETTI F.
ZHANG W. & LACHMANN P.J. Glycosylation of IgA is required for optimal activation of the alternative complement pathway by immune complexes, 137
ZOCCHI M.R., FERRARINI M., MIGONE N. & CASORATI G. T-cell receptor Vδ gene usage by tumour reactive γδ T lymphocytes infiltrating human lung cancer, 234
ZUBLER R.H. *see* WERNER-FAVRE C.

Subject Index

Adhesion and penetration of human lymphocytes on endothelial cells, 538
Agalactosyl IgG:
in tuberculosis, 149
Allergen-specific human T cells:
molecular basis of cross-reactivity, 15
Allograft rejection:
inhibition by anti-T-cell receptor-$\alpha\beta$ monoclonal antibody, 198
Alternative complement pathway:
activation by a glycosylation IgA, 137
Anaphylaxis:
suppression by *Trypanosoma brucei*, 468
Antigen, self:
cytotoxic T lymphocytes, 333
Antigen targeting to antigen-presenting cells:
enhancement of presentation to class II-restricted T cells, 167
Apoptosis, in natural killer cells and cytotoxic T lymphocytes:
induced by dexamethasone, 21

B cells:
role of antigen and IL-5 in induction of IL-2 receptors, 373
B7:
expression in murine thymus, 532
bcl-2 expression:
and T-cell development in the thymus, 115
Bovine conglutinin:
binding to oligosaccharide determinant presented by iC3c, 648

C3 expression, murine:
cellular specificity, 655
Cartilage-specific membrane antigen:
isolation and characterization, 322
CD5 lymphocytes:
porcine, 578
$CD5^+$ B-lymphocyte hybridomas:
indentification, 558
$CD8^+$ T-cell subsets:
production of cytokines, 253
CD40:
expression on mutant EL-4 cells, 111
CD48, cross-linking:
and homoadhesion of rat B cells but not T cells, 103
CD59:
dysfunctional form on U937 cells, 637
Complement activation:
on thyroid cells, 643
Complement C7:
reconstitution after plasmaphaeresis, 824
Complement regulatory membrane proteins:
distribution in rats, 444
Complement regulatory proteins:
differential expression during human spermatogenesis, 452
Cytotoxic T cells:
to human papilloma virus, 222
Cytotoxic T lymphocytes:
induction by antigen administered with cholera toxin, 338
Cytotoxic T lymphocytes, $Lyt\text{-}2^+$:
Salmonella specific, 183

Dendritic cells, follicular:
in murine AIDS, 41
Diabetes, spontaneous autoimmune:
reduction with fusidic acid, 317

Encephalomyelitis:
$CD4^-$ $CD8^-$ $\alpha\beta$ T cells, 420
Encephalomyelitis, autoimmune:
treatment with anti-T-cell receptor $\alpha\beta$ antibody, 1
Eosinophils:
as antigen-presenting cells, 584
Excretory–secretory component, of filarial parasite:
effects on human B and T cells, 507
Extrathymic $\alpha\beta$ T-cell receptor cells:
protective role in liver, 8

Fcγ receptor-mediated phagocytosis:
role of histidine-rich glycoprotein, 296
Feline CD8, α-chain, cDNA, isolation:
sequence and expression, 127
Feline immunodeficiency virus (FIV):
polyclonal B-cell activation by, 626
receptor identified as feline CD9, 228

β-glucan receptors, human monocyte:
enhancement by glucocorticoids, 96
Goblet cell mucins:
protective role against intestinal helminths, 480

$\gamma\delta$ hepatic T cells:
suppression of interleukin-2 production, 27
Human B cells:
stimulation by lipopeptide, 205
$\gamma\delta$ human T cells:
specificity of, [564]
Hyporesponsiveness in rat Kupffer:
not specific for lipopolysaccharide, 402

IgE, subpopulation:
in the common cat, 155
IgE production, human:
stimulation by anti-CD21 antibodies, 285
Immunoglobulin production:
inhibition by nedocromil sodium, 47
Immunotherapy of autoimmune disease, 487
Interferon-γ:
and monocyte cytotoxicity, 592
inhibition of interleukin-7-dependent proliferation, 381
role in early *Chlamydia* infection, 631
Interferon-γ and tumour necrosis factor-α:
effect on histopathology in liver of *Listeria monocytogenes*, 192
Interleukin-1 receptor expression:
by $CD4^+$ cells in malaria, 216
Interleukin-1β secretion:
by glomerular cells, 53
Interleukin-2α receptors:
up-regulation by retinoic acid, 273
Interleukin-4 and tumour necrosis factor:
synergistic effect on macrophage differentiation, 65
Interleukin-4 release, by peripheral blood monocytes:
related to heterogeneity of atopy, 58
Interleukin-4-secreting cells:
inducible during chemical sensitization, 551
Interleukin-8 expression:
inhibition by dexamethasone, 389
Interleukin-8 production by colonic epithelial lines:
stimulation by cytokines and lipopolysaccharide, 85
Interstitial lung macrophages:
interaction with dendritic cells to present antigenic peptides, 343

In vitro immunization, site-directed:
production of human monoclonal anti-HIV-1 neutralizing antibodies, 428
Iodine intake:
and development of thyroid-associated ectopic tissue with low autoimmune reactivity, 309

Langerhans' cells:
expression of sialyl Lewis x, 303
Leucocyte function-associated antigen-1-dependent cellular conjugation:
control by divalent cations, 120
Liposome-encapsulated antibody:
enhanced protection against respiratory influenza A, 280
Lymphocyte migration:
in adjuvant arthritis, 414
Lymphocyte migration into the CNS:
roles of adhesion molecules, 366
Lymphocyte responses, human:
to yeast glycoprotein, 247
Lytic susceptibility to cytotoxic T cells:
determination by constitutive major histocompatibility complex class I expression and activation status, 569

Macrophage Fcγ receptor expression:
modulation by bacterial agents, 161
Major histocompatibility complex class I molecules:
thymic education function and antigen-presenting function, 132
Microparticles, with entrapped antigen:
induction of mucosal and systemic responses, 661
Motility of human lymphocytes:
effect of kinase inhibitors, 546

Natural killer cell growth:
promotion *in vitro* by bispecific antibodies, 92
Neutrophils, human:
adhesion to endothelial cells, 359
Nitric oxide synthase and endotoxaemia, 211

Perforin:
characterization of a human monoclonal antibody against, 291
Porcine lymphocytes:
180,000 MW surface antigen on $\gamma\delta$ cells, 36
Prostaglandins:
inhibition of lipoprotein lipase gene expression in macrophages, 605

Salivary gland T cells, oligoclonality:
in MRL/*lpr* mice, 497
Salmonella-specific:
L3T4$^+$ and Lyt-2$^+$ T cells, 183
Signal transduction, via Fcγ and Mac-1 α-chain:
in monocytes and polymorphonuclear leucocytes, 611
Superantigen:
induction of differentiation of Vβ8.2$^+$ T cells, 513
Suramin:
effects on mononuclear phagocytes, 598

T-cell clones, CD4$^+$, specific for influenza haemagglutinin:
rearrangement of T-cell receptor β-chain locus, 502
T-cell hyporesponsiveness:
role of non-adhesive antigen presentation, 521
T-cell subsets:
in tuberculosis, 171
$\gamma\delta$ T cells, peripheral:
ligand of, 240
T-helper 1-like subset selection:
in bacillus Calmette–Guérin infection, 618
Thymocyte proliferation:
selective inhibition of, 261
Tissue damage:
induced by monoclonal anti-cytomegalovirus antibody, 435
Trichinella, immune responses to:
in mice, 475
Trypanosoma cruzi-specific immune responses:
inhibition by protein, 462
Tumour necrosis factor-α:
modulation of epidermal Langerhans' cell frequency, 877
role in ultraviolet B dendritic cell migration and suppression of delayed-type hypersensitivity, 79
Tumour necrosis factor-α and interleukin-6:
promotion of basophil differentiation, 73
Tumour necrosis factor-α production, abnormal:
in diabetes-prone BB rats, 407
Tumour-infiltrating lymphocytes:
T-cell receptor usage, 234

Ultraviolet-B light:
effects on contact hypersensitivity, 352

Xenorecognition:
of porcine cells by human cytotoxic T lymphocytes, 268